

SPZ-3V

Beschreibung	Richtlänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
SPZ487	487		●	
SPZ512	512		●	
SPZ560	560		●	
SPZ562	562		●	
SPZ587	587		●	
SPZ612	612		●	
SPZ615	615		●	
SPZ630/3V250	630	25,0	●	
SPZ637	637		●	
SPZ662	662		●	
SPZ670/3V265	670	26,5	●	
SPZ687	687		●	
SPZ710/3V280	710	28,0	●	
SPZ722	722			
SPZ730	730		●	
SPZ737	737		●	
SPZ750	750		●	
SPZ762/3V300	762	30,0	●	
SPZ772	772		●	
SPZ775	775		●	
SPZ787	787		●	
SPZ800/3V315	800	31,5	●	
SPZ812	812		●	
SPZ825	825		●	
SPZ837	837		●	
SPZ850/3V335	850	33,5	●	
SPZ862	862		●	
SPZ875	875		●	
SPZ887	887		●	
SPZ900/3V355	900	35,5	●	
SPZ912	912		●	
SPZ925	925		●	
SPZ937	937		●	
SPZ950/3V375	950	37,5	●	
SPZ962	962		●	
SPZ975	975		●	
SPZ987	987		●	
SPZ1000	1000		●	
SPZ1012/3V400	1012	40,0	●	
SPZ1024	1024		●	
SPZ1030	1030		●	
SPZ1037	1037		●	
SPZ1047	1047		●	
SPZ1060/3V420	1060	42,0	●	
SPZ1062	1062		●	
SPZ1077/3V425	1077	42,5	●	
SPZ1087	1087		●	
SPZ1090	1090		●	
SPZ1112	1112		●	
SPZ1120	1120		●	
SPZ1137/3V450	1137	45,0	●	

SPZ-3V (FORTS.)

Beschreibung	Richtlänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
SPZ1150	1150		•	
SPZ1162	1162		•	
SPZ1270/3V500	1270	50,0	•	•
SPZ1180	1180		•	
SPZ1187	1187		•	
SPZ1202/3V475	1202	47,5	•	
SPZ1212	1212		•	
SPZ1215	1215		•	
SPZ1237	1237		•	
SPZ1250	1250		•	
SPZ1262/3V500	1262	50,0	•	
SPZ1287	1287		•	
SPZ1312	1312		•	
SPZ1320	1320		•	
SPZ1337/3V530	1337	53,0	•	
SPZ1347	1347		•	
SPZ1360	1360		•	
SPZ1362	1362		•	
SPZ1387	1387		•	
SPZ1400	1400		•	
SPZ1412/3V560	1412	56,0	•	
SPZ1420	1420		•	•
SPZ1437	1437		•	
SPZ1450	1450		•	
SPZ1462	1462		•	
SPZ1487	1487		•	
SPZ1500/3V590	1500	59,0	•	
SPZ1512/3V600	1512	60,0	•	
SPZ1520	1520		•	•
SPZ1537	1537		•	
SPZ1550	1550		•	
SPZ1562	1562		•	
SPZ1575	1575			
SPZ1587	1587		•	
SPZ1600/3V630	1600	63,0	•	
SPZ1612	1612		•	
SPZ1637	1637		•	
SPZ1650/3V650	1650	65,0	•	
SPZ1662	1662		•	
SPZ1687	1687		•	
SPZ1700/3V670	1700	67,0	•	
SPZ1737	1737		•	
SPZ1750	1750		•	
SPZ1762	1762		•	
SPZ1787	1787		•	
SPZ1800/3V710	1800	71,0	•	
SPZ1812	1812		•	
SPZ1837	1837		•	
SPZ1850/3V730	1850	73,0	•	
SPZ1862	1862		•	
SPZ1887	1887		•	

SPZ-3V (FORTS.)

Beschreibung	Richtlänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
SPZ1900/3V750	1900	75,0	•	
SPZ1937	1937		•	
SPZ1950	1950		•	
SPZ1987	1987		•	
SPZ2000	2000		•	
SPZ2037/3V800	2037	80,0	•	
SPZ2060/3V810	2060	81,0	•	
SPZ2120	2120		•	
SPZ2137	2137		•	
SPZ2150/3V850	2150	85,0	•	
SPZ2180	2180		•	
SPZ2187	2187		•	
SPZ2240	2240		•	
SPZ2287/3V900	2287	90,0	•	
SPZ2360	2360		•	
SPZ2410/3V950	2410	95,0	•	•
SPZ2430	2430		•	
SPZ2500	2500		•	
SPZ2540/3V1000	2540	100,0	•	
SPZ2650	2650		•	
SPZ2690/3V1060	2690	106,0	•	
SPZ2800	2800		•	
SPZ2840/3V1120	2840	112,0	•	
SPZ3000/3V1180	3000	118,0	•	
SPZ3150	3150		•	
SPZ3170/3V1250	3170	125,0	•	•
SPZ3350/3V1320	3350	132,0	•	
SPZ3550/3V1400	3550	140,0	•	
SPZ3750	3750			

SPA

Beschreibung	Richtlänge	Vorrat/Bestand	Neu
	mm		
SPA732	732	•	
SPA757	757	•	
SPA782	782		
SPA800	800	•	
SPA807	807	•	
SPA832	832	•	
SPA850	850	•	
SPA857	857	•	
SPA882	882	•	
SPA900	900	•	
SPA907	907	•	
SPA925	925	•	
SPA932	932	•	
SPA950	950	•	
SPA957	957	•	
SPA975	975	•	
SPA982	982	•	
SPA1000	1000	•	
SPA1007	1007	•	
SPA1030	1030	•	
SPA1032	1032	•	
SPA1057	1057	•	
SPA1060	1060	•	
SPA1082	1082	•	
SPA1090	1090	•	
SPA1107	1107	•	
SPA1120	1120	•	
SPA1132	1132	•	
SPA1150	1150	•	
SPA1157	1157	•	
SPA1180	1180	•	
SPA1207	1207	•	
SPA1215	1215	•	
SPA1232	1232	•	
SPA1250	1250	•	
SPA1257	1257	•	
SPA1272	1272		
SPA1282	1282	•	
SPA1285	1285	•	
SPA1307	1307	•	
SPA1320	1320	•	
SPA1332	1332	•	
SPA1357	1357	•	
SPA1360	1360	•	
SPA1382	1382	•	
SPA1400	1400	•	
SPA1407	1407	•	
SPA1432	1432	•	
SPA1450	1450	•	
SPA1457	1457	•	
SPA1482	1482	•	

SPA (FORTS.)

Beschreibung	Richtlänge	Vorrat/Bestand	Neu
	mm		
SPA1500	1500	•	
SPA1507	1507	•	
SPA1532	1532	•	
SPA1550	1550	•	
SPA1557	1557	•	
SPA1582	1582	•	
SPA1600	1600	•	
SPA1607	1607	•	
SPA1632	1632	•	
SPA1650	1650	•	
SPA1657	1657	•	
SPA1682	1682		
SPA1700	1700	•	
SPA1707	1707	•	
SPA1732	1732	•	
SPA1750	1750	•	
SPA1757	1757	•	
SPA1782	1782	•	
SPA1800	1800	•	
SPA1807	1807	•	
SPA1832	1832	•	
SPA1850	1850		
SPA1857	1857	•	
SPA1882	1882	•	
SPA1900	1900	•	
SPA1907	1907	•	
SPA1932	1932	•	
SPA1950	1950	•	
SPA1957	1957	•	
SPA1982	1982	•	
SPA2000	2000	•	
SPA2032	2032	•	
SPA2057	2057		
SPA2060	2060	•	
SPA2082	2082	•	
SPA2120	2120	•	
SPA2132	2132	•	
SPA2180	2180		
SPA2182	2182	•	
SPA2207	2207	•	
SPA2232	2232	•	
SPA2240	2240	•	
SPA2282	2282	•	
SPA2300	2300	•	
SPA2307	2307	•	
SPA2332	2332	•	
SPA2360	2360	•	
SPA2382	2382	•	
SPA2430	2430	•	
SPA2432	2432	•	
SPA2482	2482	•	

SPA (FORTS.)

Beschreibung	Richtlänge	Vorrat/Bestand	Neu
	mm		
SPA2500	2500	•	
SPA2532	2532	•	
SPA2582	2582		
SPA2607	2607	•	
SPA2632	2632	•	
SPA2650	2650	•	
SPA2682	2682	•	
SPA2732	2732	•	•
SPA2782	2782		
SPA2800	2800	•	
SPA2832	2832	•	
SPA2847	2847	•	
SPA2882	2882		
SPA2900	2900	•	
SPA2932	2932	•	
SPA2982	2982	•	
SPA3000	3000	•	
SPA3032	3032	•	
SPA3082	3082	•	
SPA3150	3150	•	
SPA3182	3182	•	
SPA3282	3282	•	
SPA3350	3350	•	
SPA3382	3382		
SPA3450	3450	•	
SPA3550	3550	•	
SPA3650	3650		
SPA3750	3750	•	
SPA4000	4000	•	
SPA4250	4250	•	
SPA4500	4500	•	
SPA5000	5000		

SPB-5V

Beschreibung	Richtlänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
SPB1250	1250		•	
SPB1260/5V500	1260	50	•	•
SPB1320	1320		•	
SPB1340/5V530	1340	53		•
SPB1360	1360		•	
SPB1400	1400		•	
SPB1410/5V560	1410	56	•	•
SPB1450	1450		•	
SPB1500	1500		•	
SPB1510/5V600	1510	60	•	•
SPB1550	1550		•	
SPB1590/5V630	1590	63	•	•
SPB1600	1600		•	
SPB1650	1650		•	
SPB1690/5V670	1690	67	•	•
SPB1700	1700		•	
SPB1750	1750		•	
SPB1778	1778			
SPB1790/5V710	1790	71	•	•
SPB1800	1800		•	
SPB1850	1850		•	
SPB1860	1860			
SPB1900/5V750	1900	75	•	
SPB1930	1930			
SPB1950	1950		•	
SPB2000	2000		•	
SPB2020/5V800	2020	80	•	
SPB2060	2060		•	
SPB2098	2098			
SPB2120	2120		•	
SPB2150/5V850	2150	85	•	
SPB2180	2180		•	
SPB2200	2200			
SPB2240	2240		•	
SPB2280/5V900	2280	90	•	
SPB2300	2300		•	
SPB2360/5V930	2360	93	•	
SPB2391	2391			
SPB2400/5V950	2400	95	•	
SPB2430	2430		•	
SPB2450	2450		•	
SPB2500	2500		•	
SPB2530/5V1000	2530	100	•	•
SPB2580	2580		•	
SPB2600	2600			
SPB2650	2650		•	
SPB2680/5V1060	2680	106	•	
SPB2720	2720		•	
SPB2800	2800		•	
SPB2840/5V1120	2840	112	•	
SPB2850	2850		•	

SPB-5V (FORTS.)

Beschreibung	Richtlänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
SPB2900	2900		•	
SPB2980/5V1180	2980	118	•	•
SPB3000	3000		•	
SPB3070	3070		•	
SPB3150	3150		•	
SPB3170/5V1250	3170	125	•	•
SPB3250	3250		•	
SPB3320	3320		•	
SPB3350/5V1320	3350	132	•	
SPB3450	3450		•	
SPB3550/5V1400	3550	140	•	
SPB3650	3650		•	
SPB3750	3750		•	
SPB3800/5V1500	3800	150	•	
SPB3870	3870		•	
SPB4000	4000		•	
SPB4050/5V1600	4050	160	•	•
SPB4120	4120		•	
SPB4250	4250		•	
SPB4310/5V1700	4310	170	•	•
SPB4370	4370		•	
SPB4500	4500		•	
SPB4560/5V1800	4560	180	•	•
SPB4750	4750		•	
SPB4820/5V1900	4820	190	•	
SPB4870	4870		•	
SPB5000	5000		•	
SPB5070/5V2000	5070	200	•	•
SPB5300	5300		•	
SPB5370/5V2120	5370	212	•	•
SPB5600	5600		•	
SPB5680/5V2240	5680	224	•	•
SPB5980/5V2360	5980	236	•	•
SPB6000	6000		•	
SPB6300	6300		•	
SPB6340/5V2500	6340	250	•	•
SPB6700/5V2650	6700	265	•	
SPB7100/5V2800	7100	280	•	
SPB7500	7500		•	
SPB7610/5V3000	7610	300	•	•
SPB8000/5V3150	8000	315	•	
SPB8500/5V3350	8500	335	•	•
SPB9010/5V3550	9010	355	•	•

SPC

Beschreibung	Richtlänge	Vorrat/Bestand	Neu
	mm		
SPC2000	2000	•	
SPC2120	2120	•	
SPC2240	2240	•	
SPC2360	2360	•	
SPC2500	2500	•	
SPC2550	2550		
SPC2650	2650	•	
SPC2800	2800	•	
SPC3000	3000	•	
SPC3150	3150	•	
SPC3350	3350	•	
SPC3550	3550	•	
SPC3750	3750	•	
SPC4000	4000	•	
SPC4100	4100		
SPC4250	4250	•	
SPC4500	4500	•	
SPC4750	4750	•	
SPC5000	5000	•	
SPC5300	5300	•	
SPC5600	5600	•	
SPC5800	5800	•	
SPC6000	6000	•	
SPC6300	6300	•	
SPC6500	6500		
SPC6700	6700	•	
SPC7100	7100	•	
SPC7500	7500	•	
SPC8000	8000	•	
SPC8500	8500	•	
SPC9000	9000	•	
SPC9500	9500	•	
SPC10000	10000	•	
SPC10600	10600	•	
SPC11200	11200	•	
SPC11800	11800		
SPC12000	12000		
SPC12500	12500	•	
SPC13500	13500		
SPC13800	13800		
SPC14200	14200		
SPC15000	15000		
SPC16500	16500		

8V

Beschreibung	Bezugslänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
8V1000	2540	100	●	
8V1060	2690	106	●	
8V1120	2845	112	●	
8V1180	2995	118	●	
8V1250	3175	125	●	
8V1320	3355	132	●	
8V1400	3555	140	●	
8V1500	3810	150	●	
8V1600	4065	160	●	
8V1700	4320	170	●	
8V1800	4570	180	●	
8V1900	4825	190	●	
8V2000	5080	200	●	
8V2120	5385	212	●	
8V2240	5690	224	●	
8V2360	5995	236	●	
8V2500	6350	250	●	
8V2650	6730	265	●	
8V2800	7110	280	●	
8V3000	7620	300	●	
8V3150	8000	315	●	
8V3350	8510	335	●	
8V3550	9015	355	●	
8V3750	9525	375	●	
8V4000	10160	400	●	
8V4250	10795	425	●	
8V4500	11430	450	●	
8V4750	12065	475	●	
8V5000	12700	500	●	
8V5600	14225	560	●	