

05 TRI-POWER™

FLANKENOFFENER, FORMVERZAHNTER HOCHLEISTUNGSKEILRIEMEN MIT KLASSISCHEM PROFIL



AX

Beschreibung	Bezugslänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
AX21	585	23		•
AX22	610	24		•
AX23	635	25		•
AX24	661	26		•
AX25	686	27		•
AX26	712	28		•
AX27	737	29		•
AX28	762	30		•
AX29	788	31		•
AX30	813	32		•
AX31	839	33		•
AX32	864	34		•
AX33	889	35		•
AX34	915	36		•
AX35	940	37		•
AX36	966	38		•
AX37	991	39		•
AX38	1016	40		•
AX39	1042	41		•
AX40	1067	42		•
AX41	1093	43		•
AX42	1118	44		•
AX43	1143	45		•
AX44	1169	46		•
AX45	1194	47		•
AX46	1220	48		•
AX47	1245	49		•
AX48	1270	50		•
AX49	1296	51		•
AX50	1321	52		•
AX51	1347	53		•
AX52	1372	54		•
AX53	1397	55		•
AX54	1423	56		•
AX55	1448	57		•
AX56	1474	58		•
AX57	1499	59		•
AX58	1524	60		•
AX59	1550	61		•
AX60	1575	62		•
AX61	1601	63		•
AX62	1626	64		•
AX63	1651	65		•
AX64	1677	66		•
AX65	1702	67		•
AX66	1728	68		•
AX67	1753	69		•
AX68	1778	70		•
AX69	1804	71		•
AX70	1829	72		•
AX71	1855	73		•

**AX (FORTS.)**

Beschreibung	Bezugslänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
AX72	1880	74		•
AX73	1905	75		•
AX74	1931	76		•
AX75	1956	77		•
AX76	1982	78		•
AX77	2007	79		•
AX78	2032	80		•
AX79	2058	81		•
AX80	2083	82		•
AX81	2109	83		•
AX82	2134	84		•
AX83	2159	85		•
AX84	2185	86		•
AX85	2210	87		•
AX86	2236	88		•
AX87	2261	89		•
AX88	2286	90		•
AX89	2312	91		•
AX90	2337	92		•
AX91	2363	93		•
AX92	2388	94		•
AX93	2413	95		•
AX94	2439	96		•
AX95	2464	97		•
AX96	2490	98		•
AX97	2515	99		•
AX98	2540	100		•
AX99	2566	101		•
AX100	2591	102		•
AX103	2667	105		•
AX105	2718	107		•
AX110	2845	112		•
AX112	2896	114		•
AX120	3099	122		•
AX128	3302	130		•
AX144	3709	146		•
AX173	4445	175		•

**BX**

Beschreibung	Bezugslänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
BX21	610	24		•
BX24	686	27		•
BX25	712	28		•
BX26	737	29		•
BX27	762	30		•
BX28	788	31		•
BX29	813	32		•
BX30	839	33		•
BX31	864	34		•
BX32	889	35		•
BX33	915	36		•
BX34	940	37		•
BX35	966	38		•
BX36	991	39		•
BX37	1016	40		•
BX38	1042	41		•
BX39	1067	42		•
BX40	1093	43		•
BX41	1118	44		•
BX42	1143	45		•
BX43	1169	46		•
BX44	1194	47		•
BX45	1220	48		•
BX46	1245	49		•
BX47	1270	50		•
BX48	1296	51		•
BX49	1321	52		•
BX50	1347	53		•
BX51	1372	54		•
BX52	1397	55		•
BX53	1423	56		•
BX54	1448	57		•
BX55	1474	58		•
BX56	1499	59		•
BX57	1524	60		•
BX58	1550	61		•
BX59	1575	62		•
BX60	1601	63		•
BX61	1626	64		•
BX62	1651	65		•
BX63	1677	66		•
BX64	1702	67		•
BX65	1728	68		•
BX66	1753	69		•
BX67	1778	70		•
BX68	1804	71		•
BX69	1829	72		•
BX70	1855	73		•
BX71	1880	74		•
BX72	1905	75		•
BX73	1931	76		•

**BX (FORTS.)**

Beschreibung	Bezugslänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
BX74	1956	77		•
BX75	1982	78		•
BX76	2007	79		•
BX77	2032	80		•
BX78	2058	81		•
BX79	2083	82		•
BX80	2109	83		•
BX81	2134	84		•
BX82	2159	85		•
BX83	2185	86		•
BX84	2210	87		•
BX85	2236	88		•
BX86	2261	89		•
BX87	2286	90		•
BX88	2312	91		•
BX89	2337	92		•
BX90	2363	93		•
BX91	2388	94		•
BX92	2413	95		•
BX93	2439	96		•
BX94	2464	97		•
BX95	2490	98		•
BX96	2515	99		•
BX97	2540	100		•
BX98	2566	101		•
BX99	2591	102		•
BX100	2617	103		•
BX103	2693	106		•
BX105	2744	108		•
BX106	2769	109		•
BX108	2820	111		•
BX110	2871	113		•
BX112	2921	115		•
BX113	2947	116		•
BX115	2998	118		•
BX116	3023	119		•
BX120	3125	123		•
BX123	3201	126		•
BX124	3226	127		•
BX128	3328	131		•
BX133	3455	136		•
BX136	3531	139		•
BX140	3633	143		•
BX144	3734	147		•
BX148	3836	151		•
BX150	3887	153		•
BX158	4090	161		•
BX162	4191	165		•
BX173	4471	176		•
BX180	4649	183		•
BX195	5030	198		•

05

TRI-POWER™

FLANKENOFFENER, FORMVERZAHNTER HOCHLEISTUNGSKEILRIEMEN MIT KLASSISCHEM PROFIL

**BX (FORTS.)**

Beschreibung	Bezugslänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
BX205	5284	208		•
BX210	5411	213		•
BX225	5792	228		•
BX240	6173	243		•
BX255	6554	258		•
BX259	6655	262		•
BX270	6935	273		•
BX285	7316	288		•
BX300	7697	303		•
BX330	8459	333		•
BX360	9221	363		•

**CX**

Beschreibung	Bezugslänge	Bezugslänge	Vorrat/Bestand	Neu
	mm	Zoll		
CX51	1397	55		•
CX60	1626	64		•
CX64	1728	68		•
CX68	1829	72		•
CX72	1931	76		•
CX75	2007	79		•
CX77	2058	81		•
CX78	2083	82		•
CX81	2159	85		•
CX82	2185	86		•
CX83	2210	87		•
CX85	2261	89		•
CX90	2388	94		•
CX96	2540	100		•
CX98	2591	102		•
CX100	2642	104		•
CX101	2667	105		•
CX105	2769	109		•
CX106	2794	110		•
CX109	2871	113		•
CX112	2947	116		•
CX115	3023	119		•
CX120	3150	124		•
CX123	3226	127		•
CX128	3353	132		•
CX133	3480	137		•
CX136	3556	140		•
CX144	3760	148		•
CX150	3912	154		•
CX158	4115	162		•
CX162	4217	166		•
CX173	4496	177		•
CX180	4674	184		•
CX187	4852	191		•
CX190	4928	194		•
CX195	5055	199		•
CX210	5436	214		•
CX225	5817	229		•
CX240	6198	244		•
CX255	6579	259		•
CX270	6960	274		•
CX300	7722	304		•
CX330	8484	334		•
CX360	9246	364		•