

# TEXROPE® S84

## WRAPPED CLASSICAL-SECTION V-BELT FOR HIGH OPERATIONAL RELIABILITY

Are you looking to replace a belt in an older existing drive? Rely on TEXROPE® S84. It has a long reputation for reliability and durability on general industrial applications. The main advantage of this wrapped classical-section V-belt lies in its good load-carrying capacity, combined with high flexibility and long belt life. A drive solution you can depend upon!

**Tip:** For new drives, the use of more advanced V- belts such as the TEXROPE® HFX-e and TEXROPE® VP2 is almost always recommended due to reasons of space and cost.



# TEXROPE® S84

## Sections and nominal dimensions



	Width (mm)	Height (mm)
Z	10	6
A	13	8
B	17	11
C	22	14
D	32	19
E	38	25
25	25	16

## Construction features

### POLYESTER TENSILE CORDS

- high strength
- low elongation
- ✓ good resistance to occasional shock loads
- ✓ length-stable belt (marked ST)

### RUBBER BELT BODY

- high-performing physical attributes
- ✓ temperature range from -30°C up to +80°C
- ✓ good cord support
- ✓ good resistance to commonly used oils
- ✓ in conformity with ISO 4184, DIN 7753, NF T-47 141 and BS 3790
- ✓ static conductive (ISO 1813) and can be used in the conditions described in the Directive 94/9/EC - ATEX

### WRAPPED CONSTRUCTION

- fabric cover over the belt body
- ✓ extra gripping power
- ✓ increased protection against wear

# TEXROPE® S84

Z			
Belt code	Description	Inside length mm	Datum length mm
1000425	<b>Z15 1/2</b>	400	422
1000435	<b>Z16</b>	415	435
1000442	<b>Z17</b>	425	450
1000455	<b>Z17 1/4</b>	438	460
1000487	<b>Z18</b>	480	500
1000505	<b>Z18 3/4</b>	490	505
1000515	<b>Z19</b>	500	515
1000520	<b>Z19 1/2</b>	505	520
1000528	<b>Z20</b>	515	540
1000540	<b>Z20 1/2</b>	525	550
1000578	<b>Z22</b>	560	590
1000584	<b>Z22 1/4</b>	565	595
1000615	<b>Z23 3/4</b>	600	630
1000621	<b>Z24</b>	608	635
1000640	<b>Z25</b>	630	650
1000667	<b>Z25 1/2</b>	655	675
1000690	<b>Z26</b>	670	690
1000714	<b>Z27</b>	700	725
1000743	<b>Z28 1/2</b>	725	750
1000755	<b>Z29</b>	730	755
1000790	<b>Z30 1/2</b>	775	800
1000795	<b>Z30 3/4</b>	780	805
1000800	<b>Z31</b>	785	810
1000838	<b>Z32</b>	820	845
1000890	<b>Z34 1/4</b>	870	890
1000900	<b>Z34 1/2</b>	875	900
1000925	<b>Z36</b>	915	935
1000970	<b>Z37</b>	950	970
1000990	<b>Z38 1/4</b>	970	990
1001000	<b>Z38 1/2</b>	980	1000
1001010	<b>Z39</b>	990	1010
1001020	<b>Z40</b>	1000	1020
1001060	<b>Z41</b>	1050	1070
1001150	<b>Z44</b>	1125	1152
1001180	<b>Z46</b>	1165	1185
1001200	<b>Z47</b>	1180	1200
1001220	<b>Z47 1/2</b>	1194	1220
1001238	<b>Z48</b>	1230	1250
1001250	<b>Z49</b>	1235	1260
1001275	<b>Z49 1/2</b>	1250	1275
1001295	<b>Z50</b>	1270	1295
1001305	<b>Z50 1/2</b>	1285	1305
1001327	<b>Z51</b>	1300	1327
1001340	<b>Z52</b>	1320	1350
1001362	<b>Z53</b>	1346	1362
1001395	<b>Z54</b>	1371	1395
1001420	<b>Z55</b>	1400	1420
1001475	<b>Z57</b>	1450	1475
1001500	<b>Z58</b>	1475	1500
1001525	<b>Z59</b>	1500	1525
1001540	<b>Z59 1/2</b>	1515	1540
1001550	<b>Z60</b>	1524	1550
1001580	<b>Z61</b>	1550	1580
1001600	<b>Z62</b>	1575	1600

Z			
Belt code	Description	Inside length mm	Datum length mm
1001625	<b>Z63</b>	1600	1625
1001650	<b>Z64</b>	1626	1650
1001675	<b>Z65</b>	1651	1680
1001700	<b>Z66</b>	1675	1700
1001725	<b>Z67</b>	1700	1725
1001750	<b>Z68</b>	1725	1750
1001775	<b>Z69</b>	1750	1775
1001800	<b>Z70</b>	1775	1800
1001825	<b>Z71</b>	1800	1825
1001850	<b>Z72</b>	1829	1850
1001875	<b>Z73</b>	1850	1875
1001925	<b>Z75</b>	1900	1925
1001950	<b>Z76</b>	1930	1950
1002000	<b>Z78</b>	1975	2000
1002025	<b>Z79</b>	2000	2025

# TEXROPE® S84

A			
Belt code	Description	Inside length mm	Datum length mm
1300441	<b>A16</b>	425	455
1300483	<b>A18</b>	457	490
1300505	<b>A19</b>	475	505
1300555	<b>A20</b>	525	555
1300570	<b>A21</b>	540	570
1300595	<b>A22</b>	565	595
1300620	<b>A23</b>	590	620
1300630	<b>A23 1/2</b>	600	630
1300635	<b>A24</b>	610	640
1300663	<b>A25</b>	630	663
1300675	<b>A25 1/2</b>	650	680
1300684	<b>A26</b>	670	700
1300716	<b>A27</b>	700	730
1300745	<b>A28</b>	710	745
1300755	<b>A28 1/2</b>	740	770
1300767	<b>A29</b>	750	780
1300775	<b>A29 1/2</b>	760	790
1300794	<b>A30</b>	767	800
1300810	<b>A31</b>	775	810
1300825	<b>A31 1/2</b>	800	825
1300835	<b>A32</b>	805	835
1300838	<b>A32 1/4</b>	825	855
1300840	<b>A32 1/2</b>	838	860
1300850	<b>A32 3/4</b>	841	870
1300857	<b>A33</b>	850	875
1300869	<b>A33 1/4</b>	855	880
1300900	<b>A34</b>	875	900
1300905	<b>A34 1/2</b>	889	919
1300912	<b>A35</b>	900	930
1300945	<b>A36</b>	914	945
1300955	<b>A36 1/2</b>	925	955
1300960	<b>A37</b>	950	975
1300971	<b>A37 1/4</b>	965	1000
1300993	<b>A38</b>	975	1010
1301004	<b>A38 1/2</b>	985	1015
1301020	<b>A39</b>	1000	1020
1301045	<b>A40</b>	1016	1045
1301055	<b>A40 1/2</b>	1030	1060
1301061	<b>A41</b>	1041	1070
1301085	<b>A41 1/2</b>	1060	1095
1301093	<b>A42</b>	1075	1100
1301110	<b>A43</b>	1090	1120
1301120	<b>A43 1/2</b>	1105	1135
1301130	<b>A44</b>	1120	1145
1301155	<b>A44 1/2</b>	1130	1160
1301165	<b>A45</b>	1143	1165
1301175	<b>A45 1/2</b>	1150	1175
1301193	<b>A46</b>	1180	1205
1301220	<b>A47</b>	1200	1220
1301235	<b>A47 1/2</b>	1210	1235
1301244	<b>A48</b>	1225	1255
1301270	<b>A48 1/2</b>	1240	1265
1301278	<b>A48 3/4</b>	1250	1280
1301280	<b>A49</b>	1270	1295

A			
Belt code	Description	Inside length mm	Datum length mm
1301310	<b>A50</b>	1280	1310
1301318	<b>A50 1/2</b>	1290	1318
1301321	<b>A51</b>	1300	1330
1301335	<b>A51 1/2</b>	1315	1345
1301355	<b>A52</b>	1320	1355
1301360	<b>A52 1/2</b>	1335	1365
1301385	<b>A53</b>	1350	1385
1301400	<b>A54</b>	1375	1400
1301410	<b>A54 1/2</b>	1400	1430
1301421	<b>A55</b>	1410	1440
1301447	<b>A56</b>	1422	1455
1301473	<b>A57</b>	1450	1485
1301500	<b>A58</b>	1475	1505
1301515	<b>A59</b>	1500	1525
1301545	<b>A60</b>	1525	1560
1301580	<b>A61</b>	1550	1580
1301610	<b>A62</b>	1575	1610
1301620	<b>A62 1/2</b>	1600	1620
1301625	<b>A63</b>	1615	1645
1301651	<b>A64</b>	1625	1655
1301670	<b>A65</b>	1650	1680
1301710	<b>A66</b>	1676	1706
1301730	<b>A67</b>	1700	1730
1301750	<b>A67 1/2</b>	1725	1755
1301756	<b>A68</b>	1750	1775
1301785	<b>A69</b>	1760	1790
1301800	<b>A70</b>	1775	1810
1301828	<b>A71</b>	1800	1835
1301854	<b>A72</b>	1825	1860
1301880	<b>A73</b>	1854	1885
1301905	<b>A74</b>	1880	1915
1301931	<b>A75</b>	1900	1940
1301960	<b>A76</b>	1930	1960
1301981	<b>A77</b>	1960	1990
1302003	<b>A78</b>	1980	2010
1302025	<b>A79</b>	2000	2040
1302060	<b>A80</b>	2032	2065
1302085	<b>A81</b>	2060	2090
1302109	<b>A82</b>	2083	2115
1302130	<b>A83</b>	2100	2130
1302140	<b>A83 1/2</b>	2120	2150
1302150	<b>A84</b>	2134	2165
1302180	<b>A84 1/2</b>	2150	2180
1302190	<b>A85</b>	2160	2200
1302220	<b>A86</b>	2200	2220
1302235	<b>A87</b>	2215	2245
1302250	<b>A88</b>	2240	2270
1302295	<b>A89</b>	2261	2295
1302315	<b>A90</b>	2286	2320
1302336	<b>A91</b>	2306	2345
1302370	<b>A92</b>	2337	2370
1302387	<b>A93</b>	2360	2395
1302413	<b>A94</b>	2383	2420
1302445	<b>A95</b>	2413	2445

# TEXROPE® S84

A			
Belt code	Description	Inside length mm	Datum length mm
1302470	<b>A96</b>	2438	2475
1302489	<b>A97</b>	2464	2495
1302525	<b>A98</b>	2500	2530
1302565	<b>A100</b>	2540	2570
1302616	<b>A102</b>	2591	2620
1302667	<b>A104</b>	2650	2680
1302699	<b>A105</b>	2680	2710
1302750	<b>A107</b>	2725	2750
1302768	<b>A108</b>	2743	2775
1302819	<b>A110</b>	2800	2830
1302877	<b>A112</b>	2845	2885
1302920	<b>A114</b>	2896	2920
1302950	<b>A115</b>	2921	2950
1302971	<b>A116</b>	2946	2980
1303000	<b>A117</b>	2972	3000
1303022	<b>A118</b>	3000	3030
1303080	<b>A120</b>	3048	3085
1303175	<b>A124</b>	3150	3180
1303283	<b>A128</b>	3250	3290
1303335	<b>A130</b>	3305	3335
1303380	<b>A132</b>	3350	3380
1303436	<b>A134</b>	3404	3436
1303485	<b>A136</b>	3454	3485
1303507	<b>A137</b>	3477	3515
1303580	<b>A140</b>	3550	3580
1303660	<b>A143</b>	3630	3660
1303690	<b>A144</b>	3660	3690
1303713	<b>A145</b>	3685	3713
1303780	<b>A148</b>	3750	3780
1303835	<b>A150</b>	3800	3835
1304038	<b>A158</b>	4000	4045

# TEXROPE® S84

B			
Belt code	Description	Inside length mm	Datum length mm
1700695	<b>B26</b>	650	690
1700745	<b>B28</b>	710	745
1700772	<b>B29</b>	745	785
1700790	<b>B30</b>	750	790
1700825	<b>B31</b>	790	835
1700860	<b>B32</b>	825	860
1700870	<b>B32 1/4</b>	830	870
1700875	<b>B32 1/2</b>	835	875
1700900	<b>B34</b>	850	900
1700919	<b>B35</b>	889	930
1700925	<b>B35 3/4</b>	895	940
1700934	<b>B36</b>	900	950
1700960	<b>B36 3/4</b>	920	965
1700970	<b>B37</b>	925	970
1700995	<b>B37 1/2</b>	950	985
1701000	<b>B38</b>	965	1010
1701019	<b>B38 1/2</b>	975	1020
1701026	<b>B39</b>	1000	1040
1701065	<b>B40</b>	1030	1065
1701085	<b>B41</b>	1040	1085
1701100	<b>B42</b>	1060	1105
1701130	<b>B42 1/2</b>	1075	1110
1701145	<b>B43</b>	1100	1145
1701150	<b>B44</b>	1110	1150
1701159	<b>B44 1/2</b>	1120	1160
1701165	<b>B45</b>	1150	1185
1701200	<b>B46</b>	1175	1210
1701230	<b>B46 1/2</b>	1190	1230
1701235	<b>B47</b>	1200	1235
1701250	<b>B47 1/4</b>	1207	1250
1701261	<b>B48</b>	1215	1265
1701270	<b>B48 1/2</b>	1225	1275
1701280	<b>B49</b>	1250	1290
1701295	<b>B49 1/2</b>	1275	1318
1701305	<b>B50</b>	1290	1330
1701328	<b>B51</b>	1300	1340
1701365	<b>B52</b>	1320	1365
1701375	<b>B52 1/2</b>	1350	1390
1701385	<b>B53</b>	1360	1405
1701400	<b>B53 1/2</b>	1372	1420
1701407	<b>B54</b>	1400	1440
1701428	<b>B55</b>	1410	1450
1701465	<b>B55 1/2</b>	1422	1465
1701480	<b>B56</b>	1435	1480
1701500	<b>B57</b>	1450	1500
1701520	<b>B58</b>	1473	1520
1701533	<b>B58 1/2</b>	1485	1533
1701552	<b>B59</b>	1500	1550
1701580	<b>B59 1/2</b>	1520	1560
1701585	<b>B60</b>	1525	1565
1701595	<b>B61</b>	1550	1595
1701615	<b>B61 1/2</b>	1575	1615
1701620	<b>B62</b>	1590	1630
1701634	<b>B63</b>	1600	1635

B			
Belt code	Description	Inside length mm	Datum length mm
1701670	<b>B64</b>	1625	1670
1701686	<b>B65</b>	1650	1690
1701710	<b>B65 1/2</b>	1676	1720
1701720	<b>B66</b>	1697	1735
1701740	<b>B66 1/2</b>	1700	1740
1701745	<b>B67</b>	1707	1745
1701755	<b>B67 1/4</b>	1715	1755
1701763	<b>B68</b>	1725	1770
1701774	<b>B69</b>	1750	1795
1701800	<b>B69 1/2</b>	1761	1805
1701813	<b>B70</b>	1775	1820
1701838	<b>B71</b>	1800	1850
1701864	<b>B72</b>	1829	1875
1701885	<b>B73</b>	1850	1895
1701916	<b>B74</b>	1880	1925
1701938	<b>B75</b>	1900	1945
1701960	<b>B76</b>	1920	1975
1702000	<b>B77</b>	1950	2000
1702010	<b>B78</b>	1981	2020
1702040	<b>B79</b>	2000	2040
1702070	<b>B80</b>	2032	2070
1702092	<b>B81</b>	2060	2100
1702120	<b>B82</b>	2083	2130
1702143	<b>B83</b>	2108	2155
1702169	<b>B84</b>	2120	2170
1702197	<b>B85</b>	2160	2205
1702215	<b>B86</b>	2185	2225
1702245	<b>B87</b>	2200	2245
1702270	<b>B88</b>	2240	2280
1702295	<b>B89</b>	2255	2295
1702322	<b>B90</b>	2286	2330
1702340	<b>B91</b>	2300	2350
1702372	<b>B92</b>	2332	2380
1702395	<b>B93</b>	2360	2405
1702423	<b>B94</b>	2395	2435
1702448	<b>B95</b>	2400	2450
1702477	<b>B96</b>	2450	2485
1702500	<b>B97</b>	2465	2510
1702535	<b>B98</b>	2500	2545
1702560	<b>B99</b>	2520	2560
1702575	<b>B100</b>	2540	2585
1702610	<b>B101</b>	2565	2610
1702626	<b>B102</b>	2600	2635
1702640	<b>B103</b>	2615	2655
1702688	<b>B104</b>	2650	2685
1702706	<b>B105</b>	2667	2715
1702726	<b>B106</b>	2700	2750
1702778	<b>B108</b>	2750	2790
1702828	<b>B110</b>	2800	2840
1702884	<b>B112</b>	2845	2890
1702941	<b>B114</b>	2900	2955
1702970	<b>B115</b>	2930	2970
1702981	<b>B116</b>	2950	2990
1703034	<b>B118</b>	3000	3040

# TEXROPE® S84

B			
Belt code	Description	Inside length mm	Datum length mm
1703087	<b>B120</b>	3048	3095
1703150	<b>B122</b>	3107	3150
1703182	<b>B124</b>	3150	3190
1703225	<b>B125</b>	3175	3225
1703250	<b>B126</b>	3210	3250
1703270	<b>B127</b>	3227	3270
1703290	<b>B128</b>	3250	3300
1703337	<b>B130</b>	3297	3350
1703370	<b>B131</b>	3327	3370
1703387	<b>B132</b>	3350	3395
1703420	<b>B133</b>	3390	3430
1703455	<b>B134</b>	3415	3465
1703504	<b>B136</b>	3450	3500
1703535	<b>B137</b>	3505	3535
1703550	<b>B138</b>	3507	3550
1703582	<b>B139</b>	3550	3590
1703644	<b>B142</b>	3600	3644
1703698	<b>B144</b>	3658	3705
1703744	<b>B146</b>	3700	3744
1703774	<b>B147</b>	3750	3780
1703896	<b>B151</b>	3850	3890
1703905	<b>B152</b>	3861	3905
1703955	<b>B154</b>	3912	3955
1703990	<b>B156</b>	3962	4010
1704052	<b>B158</b>	4000	4060
1704150	<b>B162</b>	4115	4160
1704225	<b>B165</b>	4200	4240
1704277	<b>B167</b>	4250	4295
1704432	<b>B173</b>	4394	4440
1704500	<b>B175</b>	4450	4500
1704530	<b>B177</b>	4500	4545
1704612	<b>B180</b>	4572	4620
1704670	<b>B182</b>	4625	4670
1704733	<b>B185</b>	4699	4740
1704770	<b>B186</b>	4725	4770
1704784	<b>B187</b>	4750	4795
1704930	<b>B192</b>	4880	4930
1704945	<b>B193</b>	4902	4945
1704992	<b>B195</b>	4953	5000
1705038	<b>B197</b>	5000	5045
1705350	<b>B208</b>	5300	5350
1705370	<b>B210</b>	5334	5380
1705640	<b>B220</b>	5600	5640
1705698	<b>B223</b>	5665	5705
1706044	<b>B236</b>	6000	6044
1706098	<b>B240</b>	6065	6105
1706332	<b>B248</b>	6300	6340
1706440	<b>B253</b>	6400	6440
1706475	<b>B255</b>	6450	6485
1706544	<b>B256</b>	6500	6544
1706600	<b>B259</b>	6550	6600
1706740	<b>B264</b>	6700	6745
1706858	<b>B270</b>	6825	6865
1706945	<b>B273</b>	6900	6945

B			
Belt code	Description	Inside length mm	Datum length mm
1707044	<b>B276</b>	7000	7044
1707132	<b>B280</b>	7100	7140
1707618	<b>B300</b>	7585	7625
1708010	<b>B315</b>	7970	8010
1709160	<b>B360</b>	9120	9160



# TEXROPE® S84

C			
Belt code	Description	Inside length mm	Datum length mm
2201130	<b>C41 1/2</b>	1070	1120
2201150	<b>C43</b>	1090	1150
2201215	<b>C45 1/2</b>	1180	1235
2201225	<b>C46</b>	1200	1250
2201285	<b>C48</b>	1235	1285
2201310	<b>C50</b>	1260	1310
2201341	<b>C51</b>	1295	1350
2201370	<b>C51 1/2</b>	1320	1370
2201395	<b>C52</b>	1350	1395
2201430	<b>C53</b>	1375	1430
2201441	<b>C55</b>	1410	1460
2201485	<b>C56</b>	1435	1485
2201510	<b>C57</b>	1460	1510
2201550	<b>C58</b>	1500	1550
2201565	<b>C60</b>	1535	1585
2201625	<b>C61</b>	1574	1625
2201650	<b>C62</b>	1600	1650
2201665	<b>C63</b>	1625	1675
2201700	<b>C64</b>	1650	1700
2201705	<b>C65</b>	1676	1725
2201750	<b>C66</b>	1700	1750
2201776	<b>C68</b>	1750	1800
2201820	<b>C69</b>	1778	1836
2201830	<b>C70</b>	1800	1850
2201847	<b>C70 1/2</b>	1815	1865
2201881	<b>C72</b>	1842	1900
2201910	<b>C73 1/2</b>	1880	1935
2201951	<b>C75</b>	1930	1970
2202000	<b>C76</b>	1956	2000
2202030	<b>C77</b>	1981	2030
2202050	<b>C78</b>	2000	2050
2202076	<b>C79 1/2</b>	2032	2090
2202090	<b>C80</b>	2040	2090
2202105	<b>C81</b>	2083	2125
2202145	<b>C82</b>	2100	2165
2202180	<b>C83</b>	2120	2180
2202200	<b>C84</b>	2159	2200
2202210	<b>C85</b>	2184	2230
2202279	<b>C87 1/2</b>	2240	2300
2202305	<b>C89</b>	2286	2330
2202335	<b>C90</b>	2311	2355
2202385	<b>C91</b>	2337	2385
2202406	<b>C92 1/2</b>	2375	2425
2202435	<b>C93</b>	2388	2435
2202475	<b>C94</b>	2413	2475
2202480	<b>C95</b>	2438	2490
2202490	<b>C96</b>	2450	2510
2202508	<b>C97</b>	2464	2525
2202550	<b>C97 1/2</b>	2500	2550
2202560	<b>C98</b>	2510	2560
2202575	<b>C99</b>	2540	2595
2202615	<b>C100</b>	2560	2615
2202635	<b>C101</b>	2591	2645
2202660	<b>C102</b>	2605	2660

C			
Belt code	Description	Inside length mm	Datum length mm
2202675	<b>C103</b>	2616	2675
2202698	<b>C104</b>	2667	2715
2202719	<b>C105</b>	2685	2735
2202735	<b>C106</b>	2692	2750
2202805	<b>C107</b>	2750	2805
2202820	<b>C108</b>	2762	2820
2202838	<b>C110</b>	2800	2860
2202890	<b>C111</b>	2840	2890
2202897	<b>C112</b>	2870	2915
2202955	<b>C113</b>	2896	2955
2202975	<b>C114</b>	2921	2975
2202985	<b>C115</b>	2950	2990
2203000	<b>C116</b>	2965	3020
2203041	<b>C118</b>	3000	3060
2203100	<b>C120</b>	3068	3120
2203185	<b>C122</b>	3135	3185
2203195	<b>C124</b>	3175	3215
2203300	<b>C127</b>	3250	3300
2203303	<b>C128</b>	3268	3320
2203346	<b>C129</b>	3302	3355
2203370	<b>C130</b>	3325	3370
2203385	<b>C131</b>	3350	3395
2203397	<b>C132</b>	3373	3425
2203448	<b>C134</b>	3404	3460
2203515	<b>C136</b>	3477	3535
2203600	<b>C140</b>	3550	3615
2203655	<b>C141</b>	3597	3655
2203700	<b>C143</b>	3658	3710
2203711	<b>C144</b>	3678	3730
2203742	<b>C145</b>	3700	3760
2203803	<b>C147</b>	3750	3810
2203830	<b>C148</b>	3772	3830
2203915	<b>C151</b>	3861	3915
2203940	<b>C153</b>	3912	3960
2204045	<b>C157</b>	4000	4065
2204120	<b>C159</b>	4064	4120
2204163	<b>C162</b>	4122	4180
2204270	<b>C165</b>	4212	4270
2204320	<b>C167</b>	4267	4320
2204400	<b>C170</b>	4350	4400
2204445	<b>C173</b>	4413	4465
2204540	<b>C177</b>	4500	4565
2204625	<b>C180</b>	4587	4645
2204794	<b>C187</b>	4750	4810
2204880	<b>C189</b>	4826	4880
2205005	<b>C195</b>	4967	5025
2205048	<b>C196</b>	5000	5055
2205080	<b>C197</b>	5025	5080
2205226	<b>C203</b>	5182	5235
2205250	<b>C204</b>	5200	5250
2205353	<b>C208</b>	5300	5360
2205400	<b>C210</b>	5340	5400
2205410	<b>C211</b>	5372	5430
2205540	<b>C216</b>	5500	5540

# TEXROPE® S84

C			
Belt code	Description	Inside length mm	Datum length mm
2205645	<b>C220</b>	5600	5665
2205710	<b>C223</b>	5690	5730
2205780	<b>C225</b>	5715	5780
2205845	<b>C228</b>	5800	5845
2206044	<b>C236</b>	6000	6060
2206101	<b>C240</b>	6062	6120
2206300	<b>C247</b>	6250	6300
2206345	<b>C248</b>	6300	6365
2206390	<b>C250</b>	6340	6390
2206480	<b>C255</b>	6450	6500
2206744	<b>C265</b>	6700	6760
2206861	<b>C270</b>	6822	6880
2207030	<b>C276</b>	7000	7030
2207145	<b>C280</b>	7100	7165
2207250	<b>C285</b>	7248	7300
2207544	<b>C297</b>	7500	7560
2207621	<b>C300</b>	7582	7640
2207735	<b>C303</b>	7685	7735
2207885	<b>C309</b>	7835	7885
2208045	<b>C314</b>	8000	8065
2208381	<b>C330</b>	8342	8400
2208544	<b>C335</b>	8500	8560
2208765	<b>C345</b>	8730	8780
2209146	<b>C360</b>	9107	9165
2210045	<b>C394</b>	10000	10065
2210670	<b>C420</b>	10632	10690
2211245	<b>C440</b>	11200	11265
2212320	<b>C484</b>	12270	12320

# TEXROPE® S84

D			
Belt code	Description	Inside length mm	Datum length mm
3202075	<b>D79</b>	2000	2075
3202354	<b>D90</b>	2300	2370
3202430	<b>D93</b>	2360	2430
3202500	<b>D96</b>	2425	2500
3202575	<b>D98</b>	2500	2575
3202720	<b>D104</b>	2650	2720
3202858	<b>D110</b>	2800	2875
3203040	<b>D116</b>	2965	3025
3203075	<b>D118</b>	3000	3075
3203188	<b>D120</b>	3048	3135
3203213	<b>D124</b>	3150	3230
3203275	<b>D126</b>	3200	3275
3203321	<b>D128</b>	3251	3335
3203413	<b>D132</b>	3350	3425
3203533	<b>D137</b>	3475	3550
3203616	<b>D140</b>	3550	3625
3203710	<b>D143</b>	3658	3725
3203729	<b>D144</b>	3670	3745
3203819	<b>D148</b>	3750	3825
3204000	<b>D154</b>	3915	4000
3204063	<b>D158</b>	4000	4080
3204181	<b>D162</b>	4125	4200
3204302	<b>D167</b>	4250	4325
3204370	<b>D170</b>	4310	4385
3204463	<b>D173</b>	4394	4480
3204560	<b>D177</b>	4500	4575
3204643	<b>D180</b>	4572	4660
3204810	<b>D187</b>	4750	4825
3204960	<b>D192</b>	4875	4960
3205023	<b>D195</b>	4953	5040
3205330	<b>D207</b>	5270	5345
3205375	<b>D208</b>	5300	5375
3205420	<b>D210</b>	5350	5435
3205663	<b>D220</b>	5600	5680
3205726	<b>D223</b>	5670	5740
3205795	<b>D225</b>	5715	5795
3206000	<b>D233</b>	5925	6000
3206075	<b>D236</b>	6000	6075
3206103	<b>D240</b>	6045	6120
3206300	<b>D248</b>	6245	6320
3206363	<b>D250</b>	6300	6380
3206475	<b>D255</b>	6415	6490
3206766	<b>D266</b>	6700	6775
3206863	<b>D270</b>	6805	6880
3207163	<b>D280</b>	7100	7180
3207245	<b>D287</b>	7239	7315
3207623	<b>D300</b>	7565	7640
3208063	<b>D317</b>	8000	8080
3208383	<b>D330</b>	8325	8400
3208569	<b>D335</b>	8500	8575
3208765	<b>D345</b>	8700	8780
3209148	<b>D360</b>	9090	9165
3209560	<b>D374</b>	9500	9575
3209950	<b>D390</b>	9880	9950

D			
Belt code	Description	Inside length mm	Datum length mm
3210063	<b>D394</b>	10000	10080
3210673	<b>D420</b>	10615	10690
3211263	<b>D443</b>	11200	11280
3212193	<b>D480</b>	12135	12210
3212557	<b>D494</b>	12500	12575
3213718	<b>D540</b>	13660	13735
3215243	<b>D600</b>	15185	15260

# TEXROPE® S84

E			
Belt code	Description	Inside length mm	Datum length mm
3803085	<b>E117</b>	3000	3085
3804080	<b>E157</b>	4000	4105
3804660	<b>E180</b>	4600	4685
3805040	<b>E195</b>	5000	5065
3805430	<b>E210</b>	5375	5455
3805680	<b>E220</b>	5600	5705
3806102	<b>E240</b>	6050	6125
3806380	<b>E248</b>	6300	6405
3806862	<b>E270</b>	6800	6890
3807180	<b>E280</b>	7100	7205
3807622	<b>E300</b>	7550	7650
3808080	<b>E315</b>	8000	8105
3808382	<b>E330</b>	8350	8410
3809147	<b>E360</b>	9100	9175
3810080	<b>E394</b>	10000	10105
3810672	<b>E420</b>	10600	10700
3811280	<b>E440</b>	11200	11305
3812192	<b>E480</b>	12150	12220
3813717	<b>E540</b>	13650	13745
3815242	<b>E600</b>	15200	15270

25		
Belt code	Inside length mm	Datum length mm
<b>2501600</b>	1600	1660
<b>2501670</b>	1670	1730
<b>2501800</b>	1800	1860
<b>2501900</b>	1900	1960
<b>2501950</b>	1950	2010
<b>2502000</b>	2000	2060
<b>2502050</b>	2050	2110
<b>2502120</b>	2120	2180
<b>2502200</b>	2200	2260
<b>2502240</b>	2240	2300
<b>2502325</b>	2325	2385
<b>2502360</b>	2360	2420
<b>2502450</b>	2450	2510
<b>2502500</b>	2500	2560
<b>2502650</b>	2650	2710
<b>2502700</b>	2700	2760
<b>2502800</b>	2800	2860
<b>2502950</b>	2950	3010
<b>2503000</b>	3000	3060
<b>2503150</b>	3150	3210
<b>2503350</b>	3350	3410
<b>2503550</b>	3550	3610
<b>2503750</b>	3750	3810
<b>2503950</b>	3950	4010
<b>2504000</b>	4000	4060

## Ordering code

**Z16**

**Z** Section

**16** Length (inch)

All dimensions are available from stock.